

Output short circuit protection ON

Transient overcurrent lockout OFF

Output short circuit locking ON

Charging high voltage protection ON

Intermittent charging function ON

Remaining capacity alarm ON

Remaining capacity protection ON

Battery low voltage forbidden charging ON

Output reverse connection protection OFF

Output connection failure OFF

Output soft start function ON

Charge equalization function OFF

Static equilibrium function OFF

Timeout prohibits equalization OFF

Over temperature prohibits equalization OFF

Automatically activate charging OFF

Manually activate charging ON

Take the initiative current limiting charging OFF

Passive current limiting charging ON

Switch shut down function OFF

Output reverse connection protection OFF

Output connection failure OFF

Output soft start function ON

Charge equalization function OFF

Static equilibrium function OFF

Timeout prohibits equalization OFF

Over temperature prohibits equalization OFF

Automatically activate charging OFF

Manually activate charging ON

Take the initiative current limiting charging OFF

Passive current limiting charging ON

Switch shut down function OFF

Standby shutdown function ON

History record function ON

LCD display function ON

Bluetooth communication function ON

Automatic address coding OFF

Parallel external polling ON

Single BMS 1.0C charging OFF

Discharge high temperature warning ON

Discharge over temperature protection ON

Discharge low temperature warning ON

Discharge under-temperature protection ON

Ambient high temperature alarm ON

Environmental over-temperature protection ON

Ambient low temperature alarm ON

Environmental under-temperature protection ON

Power over temperature protection ON

Power high temperature alarm ON

Cell low temperature heating OFF

Secondary tripping protection OFF

Charging overcurrent warning ON

Charge overcurrent protection ON

Discharge overcurrent warning ON

Discharge overcurrent protection ON

Transient current protection ON

Output short circuit protection ON

Transient overcurrent lockout OFF

Output short circuit locking ON

Fuction switch

Voltage sensor invalidation

Temperature sensor invalidation

Current sensor invalidation

Button switch invalidation

Cell differential pressure invalidation

Charge switch invalidation

Discharge switch invalidation

Current limit switch invalidation

Monomer high voltage alarm

Monomer overvoltage protection

Monomer low pressure alarm

Monomer undervoltage protection

Total pressure high pressure alarm

Total_voltage overvoltage protection

Total pressure low pressure alarm

Total_voltage undervoltage protection

Charging high temperature warning

Charging over temperature protection

Charging low temperature warning

Charging under-temperature protection